

# OBJECT ORIENTED PROGRAMMING

---

# OBJECTS

---

- Python supports many different kinds of data

1234            3.14159            "Hello"            [1, 5, 7, 11, 13]

{"CA": "California", "MA": "Massachusetts"}

- each is an instance of an **object**, and every object has:
  - a **type**
  - an internal **data representation** (primitive or composite)
  - a set of procedures for **interaction** with the object
- each **instance** is a particular type of object
  - 1234 is an instance of an `int`
  - `a = "hello"`  
`a` is an instance of a `string`

# OBJECT ORIENTED PROGRAMMING (OOP)

---

- everything in Python is an **object** and has a **type**
- objects are a **data abstraction** that capture:
  - internal **representation** through data attributes
  - **interface** for interacting with object through methods (procedures), defines behaviors but hides implementation
- can **create new instances** of objects
- can **destroy objects**
  - explicitly using `del` or just “forget” about them
  - Python system will reclaim destroyed or inaccessible objects – called “garbage collection”

# STANDARD DATA OBJECTS

---

- some object types built in to Python
  - lists – [1, 2, 3, 4]
  - tuples – (1, 2, 3, 4)
  - strings – ‘abcd’
- want to explore ability to create **our own data object types**

# EXAMPLE: [1,2,3,4]

---

- [1, 2, 3, 4] is of type list
- how are lists **represented internally**? linked list of cells



- how to **manipulate** lists?
    - L[i], L[i:j], L[i,j,k], +
    - len(), min(), max(), del(L[i])
    - L.append(), L.extend(), L.count(), L.index(),  
L.insert(), L.pop(), L.remove(), L.reverse(), L.sort()
  - internal representation should be **private**
  - correct behavior may be compromised if you manipulate internal representation directly – **use defined interfaces**
- follow pointer to  
the next index

# CREATING AND USING YOUR OWN OBJECTS WITH CLASSES

---

- make a distinction between **creating a class** and **using an instance** of the class
- **creating** the class involves
  - defining the class name
  - defining class attributes
  - for example, someone wrote code to implement a list class
- **using** the class involves
  - creating new instances of objects
  - doing operations on the instances
  - for example, `L=[1, 2]` and `len(L)`

# ADVANTAGES OF OOP

---

- **bundle data into packages** together with procedures that work on them through well-defined interfaces
- **divide-and-conquer** development
  - implement and test behavior of each class separately
  - increased modularity reduces complexity
- classes make it easy to **reuse** code
  - many Python modules define new classes
  - each class has a separate environment (no collision on function names)
  - inheritance allows subclasses to redefine or extend a selected subset of a superclass' behavior



# DEFINE YOUR OWN TYPES

- use the `class` keyword to define a new type

```
class Coordinate(object) :
```

<define attributes here>

- similar to `def`, indent code to indicate which statements are part of the **class definition**
- the word `object` means that `Coordinate` is a Python object and **inherits** all its attributes (coming soon)
  - `Coordinate` is a subclass of `object`
  - `object` is a superclass of `Coordinate`

# WHAT ARE ATTRIBUTES?

---

- data and procedures that “**belong**” to the class
- **data** attributes
  - think of data as other objects that make up the class
  - for example, a coordinate is made up of two numbers
- procedural attributes (**methods**)
  - think of methods as functions that only work with this class
  - for example you can define a distance between two coordinate objects but there is no meaning to a distance between two list objects

# DEFINING HOW TO CREATE AN INSTANCE OF A CLASS

- first have to define **how to create an instance** of object
- use a **special method called `__init__`** to initialize some data attributes

```
class Coordinate(object):
```

```
    def __init__(self, x, y):
```

```
        self.x = x
```

```
        self.y = y
```

special method to  
create an instance  
`__` is double  
underscore

two data attributes for  
every Coordinate object

: what data initializes a  
Coordinate object  
parameter to refer to an  
instance of the class  
when we invoke creation of  
an instance, this will bind  
the variables x and y within  
that instance to the  
supplied values

# ACTUALLY CREATING AN INSTANCE OF A CLASS

```
c = Coordinate(3, 4)  
origin = Coordinate(0, 0)  
print(c.x)  
print(origin.x)
```

create a new object of type Coordinate and pass in 3 and 4 to the `__init__` method

use the dot to access an attribute of instance c

note that argument for self is automatically supplied by Python!

- data attributes of an instance are called **instance variables**
- don't provide argument for `self`, Python does this automatically

# ACTUALLY CREATING AN INSTANCE OF A CLASS

---

```
c = Coordinate(3, 4)  
origin = Coordinate(0, 0)  
print(c.x)  
print(origin.x)
```

- think of `c` as pointing to a frame (like we saw with function calls)
  - within the scope of that frame we bound values to data attribute variables
  - `c.x` is interpreted as getting the value of `c` (a frame) and then looking up the value associated with `x` within that frame (thus the specific value for this instance)



# WHAT IS A METHOD?

---

- procedural attribute, like a **function that works only with this class**
- Python always passes the actual object as the first argument, convention is to use **self** as the name of the first argument of all methods
- the **“.” operator** is used to access any attribute
  - a data attribute of an object
  - a method of an object

# DEFINE A METHOD FOR THE Coordinate CLASS

```
class Coordinate(object):
    def __init__(self, x, y):
        self.x = x
        self.y = y
    def distance(self, other):
        x_diff_sq = (self.x-other.x)**2
        y_diff_sq = (self.y-other.y)**2
        return (x_diff_sq + y_diff_sq)**0.5
```

use it to refer to any instance  
another parameter to method  
dot notation to access data

- other than `self` and dot notation, methods behave just like functions (take params, do operations, return value)

# HOW TO USE A METHOD FROM THE Coordinate CLASS

```
def distance(self, other)
```

- conventional way

```
c = Coordinate(3, 4)
```

```
origin = Coordinate(0, 0)
```

```
print(c.distance(origin))
```

object on  
which to call  
method      name of  
method      parameters not  
including self  
(self is  
implied to be c)

- equivalent to

```
c = Coordinate(3, 4)
```

```
origin = Coordinate(0, 0)
```

```
print(Coordinate.distance(c, origin))
```

name of  
class      name of  
method      parameters, including  
an object on which to  
call the method,  
representing self

# HOW TO USE A METHOD FROM THE Coordinate CLASS

```
def distance(self, other)
```

## ■ conventional way

```
c = Coordinate(3, 4)  
origin = Coordinate(0, 0)  
print(c.distance(origin))
```

- think of Coordinate as pointing to a frame
  - within the scope of that frame we created methods
  - Coordinate.distance gets the value of Coordinate (a frame), then looks up the value associated with distance (a procedure), then invokes it (which requires two arguments)
  - c.distance inherits the distance from the class definition, an automatically uses c as the first argument

## ■ equivalent to

```
c = Coordinate(3, 4)  
origin = Coordinate(0, 0)  
print(Coordinate.distance(c, origin))
```

# PRINT REPRESENTATION OF AN OBJECT

---

```
In [1]: c = Coordinate(3, 4)
In [2]: print(c)
<__main__.Coordinate object at 0x7fa918510488>
```

- **uninformative** print representation by default
- define a **\_\_str\_\_** method for a class
- Python calls the **\_\_str\_\_** method when used with print on your class object
- you choose what it does! Say that when we print a Coordinate object, want to show

```
In [3]: print(c)
<3, 4>
```

# DEFINING YOUR OWN PRINT METHOD

```
class Coordinate(object):  
    def __init__(self, x, y):  
        self.x = x  
        self.y = y  
    def distance(self, other):  
        x_diff_sq = (self.x-other.x)**2  
        y_diff_sq = (self.y-other.y)**2  
        return (x_diff_sq + y_diff_sq)**0.5  
    def __str__(self):  
        return "<" + str(self.x) + "," + str(self.y) + ">"
```

name of  
special  
method

must return  
a string

# WRAPPING YOUR HEAD AROUND TYPES AND CLASSES

- can ask for the type of an object instance

```
In [4]: c = Coordinate(3, 4)
In [5]: print(c)
<3, 4>
In [6]: print(type(c))
<class '__main__.Coordinate'>
```

- this makes sense since

```
In [7]: print(Coordinate, type(Coordinate))
<class '__main__.Coordinate'> <type 'type'>
```

- use `isinstance()` to check if an object is a Coordinate

```
In [8]: print(isinstance(c, Coordinate))
True
```

# SPECIAL OPERATORS

---

- +, -, ==, <, >, len(), print, and many others

<https://docs.python.org/3/reference/datamodel.html#basic-customization>

- like print, can override these to work with your class
- define them with double underscores before/after

<code>__add__(self, other)</code>	→	<code>self + other</code>
<code>__sub__(self, other)</code>	→	<code>self - other</code>
<code>__eq__(self, other)</code>	→	<code>self == other</code>
<code>__lt__(self, other)</code>	→	<code>self &lt; other</code>
<code>__len__(self)</code>	→	<code>len(self)</code>
<code>__str__(self)</code>	→	<code>print(self)</code>
... and others		



# EXAMPLE: FRACTIONS

---

- create a **new type** to represent a number as a fraction
- **internal representation** is two integers
  - numerator
  - denominator
- **interface** a.k.a. **methods** a.k.a **how to interact** with Fraction objects
  - print representation
  - add, subtract
  - convert to a float

# INITIAL FRACTION CLASS

---

```
class fraction(object):
    def __init__(self, numer, denom):
        self.numer = numer
        self.denom = denom
    def __str__(self):
        return str(self.numer) + ' / ' + str(self.denom)
```

# INITIAL FRACTION CLASS

---

```
In [9]: oneHalf = fraction(1,2)
```

```
In [10]: twoThirds = fraction(2,3)
```

```
In [11]: print(oneHalf)  
1 / 2
```

```
In [12]: print(twoThirds)  
2 / 3
```

# ACCESSING DATA ATTRIBUTES

```
class fraction(object):
    def __init__(self, numer, denom):
        self.numer = numer
        self.denom = denom
    def __str__(self):
        return str(self.numer) + ' / ' + str(self.denom)
    def getNumer(self):
        return self.numer
    def getDenom(self):
        return self.denom
```

# ACCESSING DATA ATTRIBUTES

```
In [9]: oneHalf = fraction(1,2)
```

```
In [10]: twoThirds = fraction(2,3)
```

```
In [13]: oneHalf.getNumer()
```

```
Out[13]: 1
```

this is a procedure, so  
must invoke by  
passing in arguments  
(zero in this case)

```
In [14]: fraction.getDenom(twoThirds)
```

```
Out[14]: 3
```

# ADDING METHODS

```
class fraction(object):
    def __init__(self, numer, denom):
        self.numer = numer
        self.denom = denom
    def __str__(self):
        return str(self.numer) + ' / ' + str(self.denom)
    def getNumer(self):
        return self.numer
    def getDenom(self):
        return self.denom
    def __add__(self, other):
        numerNew = other.getDenom() * self.getNumer() \
                  + other.getNumER() * self.getDenom()
        denomNew = other.getDenom() * self.getDenom()
        return fraction(numerNew, denomNew)
    def __sub__(self, other):
        numerNew = other.getDenom() * self.getNumer() \
                  - other.getNumer() * self.getDenom()
        denomNew = other.getDenom() * self.getDenom()
        return fraction(numerNew, denomNew)
```

# ADDING METHODS

---

```
In [9]: oneHalf = fraction(1,2)
```

```
In [10]: twoThirds = fraction(2,3)
```

```
In [15]: new = oneHalf + twoThirds
```

```
In [16]: print(new)  
7 / 6
```

# ADDING MORE METHODS

```
class fraction(object):
    def __init__(self, numer, denom):
        self.numer = numer
        self.denom = denom
    def __str__(self):
        return str(self.numer) + ' / ' + str(self.denom)
    def getNumer(self):
        return self.numer
    def getDenom(self):
        return self.denom
    def __add__(self, other):
        numerNew = other.getDenom() * self.getNumer() \
                  + other.getNumER() * self.getDenom()
        denomNew = other.getDenom() * self.getDenom()
        return fraction(numerNew, denomNew)
    def __sub__(self, other):
        numerNew = other.getDenom() * self.getNumer() \
                  - other.getNumer() * self.getDenom()
        denomNew = other.getDenom() * self.getDenom()
        return fraction(numerNew, denomNew)
    def convert(self):
        return self.getNumer() / self.getDenom()
```

# ADDING MORE METHODS

---

```
In [9]: oneHalf = fraction(1,2)
```

```
In [10]: twoThirds = fraction(2,3)
```

```
In [17]: new = oneHalf + twoThirds
```

```
In [18]: new.convert()
```

```
Out[18]: 1.1666666666666667
```

# EXAMPLE: A SET OF INTEGERS

---

- create a new type to represent a **collection of integers**
  - initially the set is empty
  - a particular integer appears only once in a set:  
**representational invariant** enforced by the code
- **internal data representation**
  - use a list to store the elements of a set
- **interface**

`insert (e)` – insert integer  $e$  into set if not there

`member (e)` – return `True` if integer  $e$  is in set, `False` else

`remove (e)` – remove integer  $e$  from set, error if not present

# INTEGER SET CLASS

```
class intSet(object):  
    def __init__(self):  
        self.vals = []  
    def insert(self, e):  
        if not e in self.vals:  
            self.vals.append(e)  
    def member(self, e):  
        return e in self.vals  
    def remove(self, e):  
        try:  
            self.vals.remove(e)  
        except:  
            raise ValueError(str(e) + ' not found')  
    def __str__(self):  
        self.vals.sort()  
        result = ''  
        for e in self.vals:  
            result = result + str(e) + ', '  
        return '{' + result[:-1] + '}'
```

using properties of lists;  
ensuring that element only  
appears once  
using property that list is an  
iterable  
can use exception to catch attempt  
to remove nonexistent element

# USING INTEGER SETS

---

```
In [19]: s = intSet()
```

```
In [20]: print(s)
{ }
```

```
In [21]: s.insert(3)
In [22]: s.insert(4)
In [23]: s.insert(3)
In [24]: print(s)
{3, 4}
```

# USING INTEGER SETS

---

```
In [19]: s = intSet()
```

```
In [21]: s.insert(3)
```

```
In [22]: s.insert(4)
```

```
In [23]: s.insert(3)
```

```
In [25]: s.member(3)
```

```
True
```

```
In [26]: s.member(6)
```

```
False
```

# USING INTEGER SETS

---

```
In [19]: s = intSet()
```

```
In [21]: s.insert(3)
```

```
In [22]: s.insert(4)
```

```
In [23]: s.insert(3)
```

```
In [27]: s.remove(3)
```

```
In [28]: s.insert(6)
```

```
In [29]: print(s)
```

```
{4, 6}
```

# USING INTEGER SETS

---

```
In [19]: s = intSet()
```

```
In [21]: s.insert(3)
```

```
In [22]: s.insert(4)
```

```
In [23]: s.insert(3)
```

```
In [27]: s.remove(3)
```

```
In [28]: s.insert(6)
```

```
In [30]: s.remove(3)
```

```
ValueError: 3 not found
```



# THE POWER OF OOP

---

- **bundle together objects** that share
  - common attributes and
  - procedures that operate on those attributes
- use **abstraction** to make a distinction between how to implement an object vs how to use the object
- build **layers** of object abstractions that inherit behaviors from other classes of objects
- create our **own classes of objects** on top of Python's basic classes

# IMPLEMENTING THE CLASS VS USING THE CLASS

---

- write code from two different perspectives
- all class examples we saw so far were numerical

**implementing** a new object type with a class

- **define** the class
- **define data attributes** (what IS the object)
- **define methods** (HOW to use the object)

**using** the new object type in code

- create **instances** of the object type
- do **operations** with them

# CLASS DEFINITION OF AN OBJECT TYPE

# INSTANCE VS OF A CLASS

- class is the **type**
  - a Coordinate type
  - class Coordinate(object) :
- class is defined generically
  - use self to refer to any instance while defining the class
- class defines data and methods **common across all instances**
- instance is **one particular object**
  - mycoo = Coordinate(1, 2)
- data values vary between instances
  - c1 = Coordinate(1, 2)
  - c2 = Coordinate(3, 4)
  - c1 and c2 have different data values because they are different objects
- instance has the **structure of the class**

# WHY USE OOP AND CLASSES OF OBJECTS?

---

- mimic real life
- group different objects as part of the same type



Jelly  
1 year old  
brown



Tiger  
2 years old  
brown



Bean  
0 years old  
black



5 years old  
brown



2 years old  
white



1 year old  
b/w

# WHY USE OOP AND CLASSES OF OBJECTS?

---

- mimic real life
- group different objects as part of the same type



# GROUPS OF OBJECTS HAVE ATTRIBUTES

---

- **data attributes**

- how can you represent your object with data?
- **what it is**
- <for a coordinate: x and y values>
- <for an animal: age, name>

- **procedural attributes** (behavior/operations/methods)

- what kinds of things can you do with the object?
- **what it does**
- <for a coordinate: find distance between two>
- <for an animal: make a sound>

# DEFINING A CLASS (Recap)

```
class definition      name      class parent
class Animal(object):
    def __init__(self, age):
        self.age = age
        self.name = None
```

special method to  
create an instance

one instance

myanimal = Animal(3)

mapped to  
self.age  
in class def

variable to refer to an instance  
of the class

what data initializes  
an Animal type

name is a data attribute  
even though an instance  
is not initialized with it

# GETTER AND SETTER METHODS

---

```
class Animal(object):
    def __init__(self, age):
        self.age = age
        self.name = None
    def get_age(self):
        return self.age
    def get_name(self):
        return self.name
    def set_age(self, newage):
        self.age = newage
    def set_name(self, newname=""):
        self.name = newname
    def __str__(self):
        return "animal:"+str(self.name)+": "+str(self.age)
```

getter

setter

- **getters and setters** should be used outside of class to access data attributes

# AN INSTANCE and DOT NOTATION (Recap)

---

- instantiation creates an **instance of an object**

```
a = Animal(3)
```

- **dot notation** used to access attributes (data and methods) though it is better to use getters and setters to access data attributes

```
a.age
```

```
a.get_age()
```

access data attribute  
access and use method;  
if just call a.get\_age,  
get method but don't  
invoke

# INFORMATION HIDING

---

- author of class definition may **change data attribute** variable names

*replaced age data  
attribute by years*

```
class Animal(object):
    def __init__(self, age):
        self.years = age
    def get_age(self):
        return self.years
```

- if you are **accessing data attributes** outside the class and class **definition changes**, may get errors
- outside of class, use getters and setters instead
  - use `a.get_age()` NOT `a.age`
  - good style
  - easy to maintain code
  - prevents bugs

# PYTHON NOT GREAT AT INFORMATION HIDING

---

- allows you to **access data** from outside class definition  
`print(a.age)`
- allows you to **write to data** from outside class definition  
`a.age = 'infinite'`
- allows you to **create data attributes** for an instance from outside class definition  
`a.size = "tiny"`
- it's **not good style** to do any of these!

# self AND OTHER ARGS

---

- **self determined from instance**, passed in as argument
  - for the method: `def __init__(self, age)`
  - creates self, passes it in automatically as argument

```
a = Animal(3)
```
- for the method: `def get_age(self)`
  - call method with `a.get_age()`
  - or an alternate way `Animal.get_age(a)`
- **default arguments** for formal parameters are used if no actual argument is given
  - for the method: `def set_name(self, newname="")`
  - default argument used here `a.set_name()`
  - argument passed is used here `a.set_name("fluffy")`



# HIERARCHIES

Animal



Cat




Rabbit



# HIERARCHIES

---

- **parent class**  
(superclass)
- **child class**  
(subclass)
  - **inherits** all data and behaviors of parent class
  - **add** more **info**
  - **add** more **behavior**
  - **override** behavior



# INHERITANCE

---

```
class Animal(object):
    def __init__(self, age):
        self.age = age
        self.name = None
    def get_age(self):
        return self.age
    def get_name(self):
        return self.name
    def set_age(self, newage):
        self.age = newage
    def set_name(self, newname=""):
        self.name = newname
    def __str__(self):
        return "animal:"+str(self.name)+": "+str(self.age)
```

- everything is an object  
- class object implements basic operations in Python, like binding variables, etc

- new object class inherits properties of underlying Python object class

# INHERITANCE

inherits all attributes of Animal:  
\_\_init\_\_()  
age, name  
get\_age(), get\_name()  
set\_age(), set\_name()  
\_\_str\_\_()

```
class Cat(Animal):  
    def speak(self):  
        print("meow")  
    def __str__(self):  
        return "cat:"+str(self.name)+": "+str(self.age)
```

add new functionality via  
new methods

overrides \_\_str\_\_  
from Animal

- add new functionality with speak ()
  - instance of type Cat can be called with new methods
  - instance of type Animal throws error if called with new methods
- \_\_init\_\_ is not missing, uses the Animal version

# USING THE HIERARCHY

---

```
In [31]: jelly = Cat(1)
In [32]: jelly.set_name('JellyBelly')
In [33]: print(jelly)
cat:JellyBelly:1
```

inherits method  
from Animal

```
In [34]: print(Animal.__str__(jelly))
Animal:JellyBelly:1
```

cat \_\_str\_\_ method from Animal  
method from Animal

```
In [35]: blob = Animal(1)
In [36]: print(blob)
animal:None:1
```

could explicitly recover  
underlying Animal method

```
In [37]: blob.set_name()
In [38]: print(blob)
animal::1
```

can change values of  
attributes of an  
instance

# INHERITANCE

---

```
class Cat(Animal):
    def speak(self):
        print("meow")
    def __str__(self):
        return "cat:"+str(self.name)+":"+str(self.age)

class Rabbit(Animal):
    def speak(self):
        print("meep")
    def __str__(self):
        return "rabbit:"+str(self.name)+":"+str(self.age)
```

# USING THE HIERARCHY

---

```
In [31]: jelly = Cat(1)
```

```
In [34]: blob = Animal(1)
```

```
In [38]: peter = Rabbit(5)
```

```
In [39]: jelly.speak()
```

```
meow
```

uses method from  
Cat

uses method from  
Rabbit

tries to find method  
in Animal

```
In [40]: peter.speak()
```

```
meep
```

```
In [41]: blob.speak()
```

```
AttributeError: 'Animal' object has no  
attribute 'speak'
```

# WHICH METHOD TO USE?

---

- subclass can have **methods with same name** as superclass
- subclass can have **methods with same name** as other subclasses
- for an instance of a class, look for a method name in **current class definition**
- if not found, look for method name **up the hierarchy** (in parent, then grandparent, and so on)
- use first method up the hierarchy that you found with that method name

```

class Person(Animal):
    def __init__(self, name, age):
        Animal.__init__(self, age)
        Animal.set_name(self, name)
        self.friends = []

    def get_friends(self):
        return self.friends

    def add_friend(self, fname):
        if fname not in self.friends:
            self.friends.append(fname)

    def speak(self):
        print("hello")

    def age_diff(self, other):
        # alternate way: diff = self.age - other.age
        diff = self.get_age() - other.get_age()
        if self.age > other.age:
            print(self.name, "is", diff, "years older than", other.name)
        else:
            print(self.name, "is", -diff, "years younger than", other.name)

    def __str__(self):
        return "person:" + str(self.name) + ":" + str(self.age)

```

parent class is Animal

call Animal constructor  
call Animal's method  
add a new data attribute

new method to give age diff in a  
user friendly way

override Animal's  
str method

# USING THE HIERARCHY

---

```
In [42]: eric = Person('Eric', 45)
```

```
In [43]: john = Person('John', 55)
```

```
In [44]: eric.speak()
```

```
Hello
```

uses method from  
Person

uses method associated  
with instance

```
In [45]: eric.age_diff(john)
```

```
Eric is 10 years younger than John
```

```
In [46]: Person.age_diff(john, eric)
```

```
John is 10 years older than Eric
```

can use class  
attribute to find  
method

*bring in methods  
from random class  
inherits Person and  
Animal attributes  
adds new data*

```
import random

class Student(Person):
    def __init__(self, name, age, major=None):
        Person.__init__(self, name, age)
        self.major = major

    def change_major(self, major):
        self.major = major

    def speak(self):
        r = random.random()
        if r < 0.25:
            print("I have homework")
        elif 0.25 <= r < 0.5:
            print("I need sleep")
        elif 0.5 <= r < 0.75:
            print("I should eat")
        else:
            print("I am watching tv")

    def __str__(self):
        return "student:"+str(self.name)+":"+str(self.age)+":"+str(self.major)
```

*- look up how to use the random  
class in the python docs  
- random() method gives back  
float in [0, 1]*

*override  
Person's str  
method*

# USING THE HIERARCHY

---

```
In [42]: eric = Person('Eric', 45)
In [47]: fred = Student('Fred', 18, 'Course VI')
In [48]: print(fred)
student:Fred:18:Course VI
```

```
In [49]: fred.speak()
i have homework
In [50]: fred.speak()
i have homework
In [51]: fred.speak()
i am watching tv
In [52]: fred.speak()
i should eat
```

uses method from Student  
uses method from Student  
if called multiple times, may get different behavior because of random



# INSTANCE VARIABLES

# CLASS VARIABLES

- we have seen **instance variables** so far in code
- specific to an instance
- created for **each instance**, belongs to an instance
- used the generic variable name `self` within the class definition

`self.variable_name`

- introduce **class variables** that belong to the class
- defined inside class but outside any class methods, outside `__init__`
- **shared** among all objects/instances of that class

# RECALL THE Animal CLASS

---

```
class Animal(object):
    def __init__(self, age):
        self.age = age
        self.name = None
    def get_age(self):
        return self.age
    def get_name(self):
        return self.name
    def set_age(self, newage):
        self.age = newage
    def set_name(self, newname=""):
        self.name = newname
    def __str__(self):
        return "animal:"+str(self.name)+": "+str(self.age)
```

# CLASS VARIABLES AND THE Rabbit SUBCLASS

- **subclasses inherit** all data attributes and methods of the parent class

```
class Rabbit(Animal):  
    tag = 1  
  
    def __init__(self, age, parent1=None, parent2=None):  
        Animal.__init__(self, age)  
        self.parent1 = parent1  
        self.parent2 = parent2  
        self.rid = Rabbit.tag  
        Rabbit.tag += 1
```

parent class

class variable

instance variable

access class variable

incrementing class variable changes it  
for all instances that may reference it

- tag used to give **unique id** to each new rabbit instance

# Rabbit GETTER METHODS

```
class Rabbit(Animal):
    tag = 1
    def __init__(self, age, parent1=None, parent2=None):
        Animal.__init__(self, age)
        self.parent1 = parent1
        self.parent2 = parent2
        self.rid = Rabbit.tag
        Rabbit.tag += 1
    def get_rid(self):
        return str(self.rid).zfill(3)
    def get_parent1(self):
        return self.parent1
    def get_parent2(self):
        return self.parent2
```

method on a string to pad  
the beginning with zeros  
for example, 001 not 1

- getter methods specific  
for a Rabbit class

- there are also getters  
get\_name and get\_age  
inherited from Animal

# EXAMPLE USAGE

---

```
In [53]: peter = Rabbit(2)
In [54]: peter.set_name('Peter')
In [55]: hopsy = Rabbit(3)
In [56]: hopsy.set_name('Hopsy')
In [57]: cotton = Rabbit(1, peter, hopsy)
In [58]: cotton.set_name('Cottontail')

In [59]: print(cotton)
animal:Cottontail:1

In [60]: print(cotton.get_parent1())
animal:Peter:2
```

uses method from Animal

providing explicit arguments

calling method returns instance; print then calls that instance's method

# WORKING WITH YOUR OWN TYPES

---

```
def __add__(self, other):  
    # returning object of same type as this class  
    return Rabbit(0, self, other)
```

recall Rabbit's `__init__(self, age, parent1=None, parent2=None)`

- define **+ operator** between two Rabbit instances
  - define what something like this does: `r4 = r1 + r2` where `r1` and `r2` are Rabbit instances
  - `r4` is a new Rabbit instance with age 0
  - `r4` has `self` as one parent and `other` as the other parent
  - in `__init__`, should change to check that **parent1 and parent2 are of type Rabbit**

# EXAMPLE USAGE

---

```
In [53]: peter = Rabbit(2)
In [54]: peter.set_name('Peter')
In [55]: hopsy = Rabbit(3)
In [56]: hopsy.set_name('Hopsy')
In [61]: mopsy = peter + hopsy
In [62]: mopsy.set_name('Mopsy')
In [63]: print(mopsy.get_parent1())
animal:Peter:2

In [64]: print(mopsy.get_parent2())
animal:Hopsy:3
```

# SPECIAL METHOD TO COMPARE TWO Rabbits

---

- decide that two rabbits are equal if they have the **same two parents**

```
def __eq__(self, other):  
    parents_same = self.parent1.rid == other.parent1.rid \  
                  and self.parent2.rid == other.parent2.rid  
    parents_opposite = self.parent2.rid == other.parent1.rid \  
                      and self.parent1.rid == other.parent2.rid  
    return parents_same or parents_opposite
```

booleans

- comparing ids of parents since **ids are unique** (due to class var)
- note that comparing objects (`self.parent1==other.parent1`) will call the `__eq__` method over and over until call it on None (will get `AttributeError`)

# EXAMPLE USAGE

---

```
In [53]: peter = Rabbit(2)
In [54]: peter.set_name('Peter')
In [55]: hopsy = Rabbit(3)
In [56]: hopsy.set_name('Hopsy')
In [57]: cotton = Rabbit(1, peter, hopsy)
In [58]: cotton.set_name('Cottontail')
In [61]: mopsy = peter + hopsy
In [62]: mopsy.set_name('Mopsy')

In [65]: print(mopsy == cotton)
True
```

# SUMMARY OF CLASSES & OOP

---

- **bundle together objects** that share
  - common attributes and
  - procedures that operate on those attributes
- use **abstraction** to make a distinction between how to implement an object vs how to use the object
- build **layers** of object abstractions that inherit behaviors from other classes of objects
- create our **own classes of objects** on top of Python's basic classes